

# ON FILTERS BY RECONSTRUCTION FOR SIZE AND MOTION SIMPLIFICATION

PHILIPPE SALEMBIER AND JAVIER RUIZ  
*Universitat Politècnica de Catalunya, Barcelona, SPAIN*  
*philippe@gps.tsc.upc.es, jrh@gps.tsc.upc.es*

**Abstract.** This paper deals with connected operators based on reconstruction process. New operators are proposed to perform size and motion simplification. In the case of size simplification, the proposed approach allows to better preserve the contrast of maxima or minima that have not been totally simplified by the filtering process. In the case of motion simplification, two applications are illustrated: motion detection for maxima/minima and sequence simplification to improve the coding efficiency of standard encoders.

**Key words:** Connected operator, reconstruction process, size filtering, motion filtering.

## 1. Introduction

Connected operators are filtering tools that do not modify individual pixel values but directly act on the connected components of the space where the image is constant, the so-called *flat zones*. Intuitively, connected operators can remove boundaries between flat zones but cannot add new boundaries nor shift existing boundaries. The related literature rapidly grows and involves theoretical studies [17, 2, 6, 8, 9, 10, 16, 11, 7], algorithm developments [20, 19, 1, 14, 12, 4] and applications [13, 15, 3, 18].

The goal of this paper is to present new connected operators based on reconstruction for size and motion filtering. The organization of the paper is as follows: Section 2 give a brief overview on connected operators. Connected operators based on anti-extensive reconstruction are discussed in section 3 where new operators for size simplification and motion detection are presented. Section 4 focuses on self-dual reconstruction and levelings. The application of levelings for video sequence simplification for compression is discussed.

## 2. Connected Operators

Gray level connected operators act by merging flat zones. They cannot create new contours nor modify the position of existing boundaries between regions. Therefore, they have very good contour preservation properties. Gray level connected operators originally defined in [17] rely on the notion of flat zones partition. We assume that the connectivity is defined on the digital grid by a translation invariant, reflexive and symmetric relation. Typical examples are the 4- and 8-connectivity. Let us denote by  $\mathcal{P}$  a partition and by  $\mathcal{P}(n)$  the region that contains pixel  $n$ . A partial order among partitions can be created:

$\mathcal{P}_1$  “is finer than”  $\mathcal{P}_2$  (written as  $\mathcal{P}_1 \sqsubseteq \mathcal{P}_2$ ), if  $\forall n, \mathcal{P}_1(n) \subseteq \mathcal{P}_2(n)$ . The set of flat zones of an image  $f$  is a partition of the space,  $\mathcal{P}_f$ . Based on these notions, connected operators are defined as:

**Definition 1** (*Connected operators*) A gray level operator  $\psi$  is connected if the partition of flat zones of its input  $f$  is always finer than the partition of flat zones of its output, that is:  $\mathcal{P}_f \sqsubseteq \mathcal{P}_{\psi(f)}, \forall f$

This definition clearly highlights the region-based processing of the operator since it states that regions of the output partition are created by union of regions of the input partition. An alternative (and equivalent) definition of connected operators was introduced in [9]. This second definition enhances the role of the boundaries between regions and turns out to be very useful to derive the notion of leveling (see Section 4).

**Definition 2** (*Connected operators*) A gray level operator  $\psi$  is connected if  $\forall f$  input image and  $\forall n, n'$  neighboring pixels,  $\psi(f)[n] \neq \psi(f)[n'] \implies f[n] \neq f[n']$ .

This definition simply states that, if two neighboring pixels of the output image have two different gray level values, they have also two different gray level values in the input image, in other words, the operator cannot create new boundaries. There are several ways to construct connected operators. From the practical viewpoint, the most successful strategies rely either on reconstruction processes or on region-tree pruning. In this paper, we focus on the first strategy.

### 3. Anti-extensive Reconstruction and Connected Operators

#### 3.1. THE ANTI-EXTENSIVE RECONSTRUCTION PROCESS

The most classical way to construct connected operators is to use an anti-extensive reconstruction process. It is defined as follows:

**Definition 3** (*Anti-extensive reconstruction*) If  $f$  and  $g$  are two images (respectively called the “reference” and the “marker” image), the anti-extensive reconstruction  $\rho^\downarrow(g|f)$  of  $g$  under  $f$  is given by:

$$\begin{aligned} g_k &= \delta_C(g_{k-1}) \wedge f \text{ and} \\ \rho^\downarrow(g|f) &= \lim_{k \rightarrow \infty} g_k \end{aligned} \quad (1)$$

where  $g_0 = g \wedge f$  and  $\delta_C$  is the dilation with the flat structuring element defining the connectivity ( $3 \times 3$  square or cross).

It can be shown that the series,  $g_k$ , always converges and the limit always exists. By duality, the extensive reconstruction is given by:

**Definition 4** (*Extensive reconstruction*) If  $f$  and  $g$  are two images (respectively called the “reference” and the “marker” image), the extensive reconstruction  $\rho^\uparrow(g|f)$  of  $g$  above  $f$  is given by:

$$\begin{aligned} g_k &= \epsilon_C(g_{k-1}) \vee f \text{ and} \\ \rho^\uparrow(g|f) &= \lim_{k \rightarrow \infty} g_k \end{aligned} \quad (2)$$

where  $g_0 = g \vee f$  and  $\epsilon_C$  is the erosion with the flat structuring element defining the connectivity ( $3 \times 3$  square or cross).

Note that Eqs. (1) and (2) define theoretically the reconstruction processes but do not provide efficient implementations. Indeed, the number of iterations is generally fairly high. The most efficient reconstruction algorithms rely on the definition of a clever scanning of the image and are implemented by First-in-First-out (FIFO) queues. A review of the most popular reconstruction algorithms can be found in [20].

In practice, useful connected operators are obtained by considering that  $f$  is the input image and one has to derive somehow the marker image  $g$ . Most of the time, the marker is itself a transformation  $\phi(f)$  of the input image  $f$ . As a result, most connected operators  $\psi$  obtained by reconstruction can be written as:  $\psi(f) = \rho^\downarrow(\phi(f)|f)$  (anti-extensive operator), or  $\psi(f) = \rho^\uparrow(\phi(f)|f)$  (extensive operator). In the following, we discuss some examples of size and motion simplification.

### 3.2. SIZE FILTERING

The simplest size-oriented connected operator is obtained by using as marker image,  $\phi(f)$ , the result of an erosion with a structuring element  $h_k$  of size  $k$ . It is the classical opening by reconstruction of erosion:

$$\psi(f) = \rho^\downarrow(\epsilon_{h_k}(f)|f) \quad (3)$$

This operator is an opening. By duality, the closing by reconstruction is given by:  $\psi^*(f) = \rho^\uparrow(\delta_{h_k}(f)|f)$ . An example of opening by reconstruction of erosion is shown on the left side of Fig. 1. In this example, the original signal  $f$  has 11 maxima. The marker  $g$  is created by an erosion with a flat structuring element which eliminates the narrowest maxima. Only 5 maxima are preserved after erosion. Finally, the marker is reconstructed. In the reconstruction, only the 5 maxima that were present after erosion are visible and narrow maxima have been eliminated. Moreover, the transitions of the reconstructed signal correspond precisely to the transitions of the original signal.

As can be seen, the simplification effect, that is the elimination of narrow maxima is almost perfectly done. However, the preservation effect may be criticized: although the contours of maxima are well preserved, their shape and height are distorted. To reduce this distortion, a new connected operator can be built on top of the first one. The approach is similar to the one proposed in [5] for dynamics. Let us construct a new marker image,  $m[n]$ , indicating the pixels where the reconstruction has not been active, that is where the final result is equal to the erosion.

$$m[n] = f[n], \text{ if } \rho^\downarrow(\epsilon_{h_k}(f)|f)[n] = \epsilon_{h_k}(f)[n], \text{ or } m[n] = 0 \text{ otherwise.} \quad (4)$$

This marker image is illustrated on the right of Fig. 1. It is equal to 0 except for the five maxima that are present after erosion and also for the local minima. At that locations, the gray level values of the original image,  $f[n]$ , are assigned




Fig. 1. Size-oriented connected operators: Left) Opening by reconstruction of erosion, Right) New marker indicating where the first reconstruction has not been active and second reconstruction.

to the marker image. Finally, the second connected operator is created by the reconstruction of the marker,  $m$  under  $f$ :  $\psi(f) = \rho^\downarrow(m|f)$ .

This operator is also an opening by reconstruction. The final result is shown on the right side of Fig. 1. The five maxima are better preserved than with the first opening by reconstruction. In this example, the first opening by reconstruction is used to define a marker of the interesting maxima and the second reconstruction simplifies the image. The difference between both reconstructions is also clearly visible in the examples of Fig. 2. The first opening by reconstruction removes small bright details of the image: the text in the upper left corner. The fish is a large element and it is not removed. It is indeed visible after the first opening by reconstruction (Fig. 2(center)) but its gray level values are not well preserved. This drawback is avoided by using the second reconstruction. Finally, by duality, closings by reconstruction can be defined. They have the same effect than the openings but on dark components.

### 3.3. MOTION DETECTION OF MAXIMA/MINIMA

An interesting application of anti-extensive reconstruction is illustrated in Fig. 3. The goal is to detect maxima that do not follow a given motion (the dual operator can deal with minima). The strategy consists in detecting some pixels of the areas that do not follow the motion of interest. These pixels are then used as marker and the contour of the maxima are reconstructed by the anti-extensive reconstruction process.

Assume that we want to detect the maxima following a given motion. The first step to compute the marker consists in computing the temporal gradient in the direction of the motion. In the example of Fig. 3, the motion is static and the maxima to be detected are still. As a result the gradient is a simple



Fig. 2. Size filtering with opening by reconstruction: Left) erosion of the original *bream* image by a flat structuring element of size  $10 \times 10$ , Center) reconstruction of the erosion, and Right) second reconstruction.

temporal gradient. If  $f_t$  denotes the frame at time  $t$ , the temporal gradient is given by:  $gr_t = f_t - f_{t-1}$ . The temporal gradient highlights the contours of the maxima to be detected. Note that, as we are dealing with maxima, the positive (negative) part of the gradient correspond to portion of the maxima inner (outer) contour (see Fig. 3).

The marker is then created by extracting the meaningful positive components of the gradient. This can be done for example by thresholding:

$$\begin{aligned} g_t &= 255, & \text{if } gr_t \geq T \\ &= 0, & \text{otherwise} \end{aligned} \quad (5)$$

The location of the marked pixels are show in black in Fig. 3.

The marker image is reconstructed by the anti-extensive reconstruction process. This creates an image where maxima that do not follow the motion of interest are well preserved and where the remaining maxima are not fully reconstructed. Finally, the maxima of interest are obtained by computing the difference between the reconstructed and original images. As a result the maxima that do not follow the motion are deleted (see Fig. 3).

## 4. Self-dual Reconstruction and Levelings

### 4.1. THE SELF-DUAL RECONSTRUCTION PROCESS

The connected operators discussed in the previous section were either anti-extensive or extensive. In practice, they allow the simplification of either bright or dark image components. For some applications, this behavior is a drawback and one would like to simplify in a symmetrical way all components. From the theoretical viewpoint, this means that the filter has to be self-dual, that is  $\psi(f) = -\psi(-f)$ . With the aim of constructing self-dual connected operators, the concept of levelings was proposed in [9, 10] by adding some restrictions in Definition 2:

**Definition 5 (Leveling)** *The operator  $\psi$  is a leveling if  $\forall n, n'$  neighboring pixels,  $\psi(f)[n] > \psi(f)[n'] \implies f[n] \geq \psi(f)[n]$  and  $\psi(f)[n'] \geq f[n']$ .*




Fig. 3. Motion detection of maxima: Top row from left to right: original image, temporal gradient, mask of the marker; Bottom row: anti-extensive reconstruction of the marker, difference between the reconstruction and the original images.

This definition not only states that if a transition exists in the output image, it was already present in the original image (Definition 2) but also that 1) the sense of gray level variation between  $n$  and  $n'$  has to be preserved and 2) the variation  $\|\psi(f)[n] - \psi(f)[n']\|$  is bounded by the original variation  $\|f[n] - f[n']\|$ . The most popular technique to create levelings relies on the following self-dual reconstruction process:

**Definition 6** (*Self-dual reconstruction*) *If  $f$  and  $g$  are two images (respectively called the “reference” and the “marker” image), the self-dual reconstruction  $\rho^\dagger(g|f)$  of  $g$  with respect to  $f$  is given by:*

$$\begin{aligned} g_k &= \epsilon_C(g_{k-1}) \vee [\delta_C(g_{k-1}) \wedge f] = \delta_C(g_{k-1}) \wedge [\epsilon_C(g_{k-1}) \vee f] \\ \rho^\dagger(g|f) &= \lim_{k \rightarrow \infty} g_k \end{aligned} \quad (6)$$

where  $g_0 = g$  and  $\delta_C$  and  $\epsilon_C$  are respectively the dilation and the erosion with the flat structuring element defining the connectivity ( $3 \times 3$  square or cross).

An example of self-dual reconstruction is shown in Fig. 4. In this example, the marker image is constant everywhere except for two points that mark a maximum and a minimum of the reference image. After reconstruction, the output has only one maximum and one minimum. As can be seen, the self-dual reconstruction is the anti-extensive reconstruction of Eq. 3 for the pixels where  $g[n] < f[n]$  and the extensive reconstruction of Eq. 4 for the pixels where  $f[n] < g[n]$ .

In practice, the self-dual reconstruction is used to restore the contour information after a simplification performed by an operator that is neither extensive




Fig. 4. Example of leveling with self-dual reconstruction.



Fig. 5. Size filtering with leveling: Left) Median filter with a window of size 15x15 and Right) Self-dual reconstruction of the median filter.

nor anti-extensive. Fig. 5 shows an example where the marker image is created by a median filter (which is self-dual operator). This kind of results can be extended to any type of filter and the self-dual reconstruction can be considered as a general tool that restores the contour information after a filtering process. In other words, the reconstruction allows to create a connected version  $\rho^{\downarrow}(\psi(f)|f)$  of any filter:  $\psi(f)$ .

#### 4.2. VIDEO SEQUENCE PRE-PROCESSING FOR COMPRESSION

Levelings are particularly attractive to process difference images. As an application, let us describe a pre-processing strategy that creates video sequences that can be more efficiently compressed by standard coding algorithms such as MPEG-1,2,4 or H.263,+L. Most of the bits used by the compression algorithm are devoted to the motion compensation error. As a pre-processing technique, we propose to use levelings to simplify the difference between two successive frames of a video sequence,  $f_t$  where  $t$  denotes the time instant. The difference

between two frames is given by Eq. 7 and noted  $g_t$ . This temporal gradient can be considered as the compensation error in the case of static areas. It involves noise and error due to the motion of objects, change in lighting conditions, etc. The goal of the pre-processing is to remove from the gradient,  $g_t$ , the elements that are not perceptually relevant. To this aim, we extract the relevant minima and maxima of the gradient to create the marker image  $m_t$ , see Eq. 8. In our experiment, we have used a simple thresholding technique. The marker is then reconstructed with the self-dual reconstruction process of Eq. 6. This gives the simplified gradient  $g'_t$ . Finally, the simplified frame  $f'_t$  is created by adding the simplified gradient to the previous frame (Eq. 10). Note that in Eqs. 7 and 8, the “previous frame” is not the previous frame of the original sequence,  $f_{t-1}$ . It is the previous frame that will be known from the encoder and decoder (because the decoder will also perform a motion compensation), it is therefore the previous pre-processed frame,  $f'_{t-1}$ .

$$g_t = f_t - f'_{t-1}, \text{ with } f'_0 = f_0 \quad (7)$$

$$m_t = \text{relevant maxima and minima of } g_t \quad (8)$$

$$g'_t = \rho^\uparrow(m_t | g_t) \quad (9)$$

$$f'_t = f'_{t-1} + g'_t \quad (10)$$

The interest of this pre-processing is highlighted in Fig. 6 which gives the rate/distortion curves for the original sequence (Threshold= 0) and 3 values of the threshold used to define the marker  $m_t$ . The values below 10 correspond to sequences that are perceptually equivalent to the original. The original sequence is the *Carphone* sequence in CIF format at 30Hz. The compression algorithm is the standard MPEG-4 codec (simple profile). As can be seen, the pre-processed sequences can be more efficiently compressed in particular for medium to high quality. For this quality range, the reduction in terms of bitrate is between 10 and 20%. In the future, we will investigate how to obtain a similar gain for low bitrate. This will likely involve the inclusion of the motion estimation/compensation process in the simplification strategy.

## 5. Conclusions

This paper has discussed connected operators based on reconstruction process. New operators have been proposed to perform size and motion simplification. In the case of size simplification, the proposed approach allows to better preserve the contrast of maxima or minima that have not been totally simplified by the filtering process. In the case of motion simplification, two applications are illustrated: motion detection for maxima/minima and sequence simplification to improve the coding efficiency of classical encoders.

## References

1. E. Breen and R. Jones. An attribute-based approach to mathematical morphology. In P. Maragos, R. Schafer, and M. Butt, editors, *International Symposium on Math-*






Fig. 6. Rate/Distortion curves for the simplified video sequences.

*emtical Morphology*, pages 41–48, Atlanta (GA), USA, May 1996. Kluwer Academic Publishers.

2. J. Crespo, J. Serra, and R. Schafer. Theoretical aspects of morphological filters by reconstruction. *Signal Processing*, 47(2):201–225, 1995.
3. J. Crespo, R. Shafer, J. Serra, C. Gratin, and F. Meyer. A flat zone approach: a general low-level region merging segmentation method. *Signal Processing*, 62(1):37–60, October 1997.
4. C. Gomila and F. Meyer. Levelings in vector space. In *IEEE International Conference on Image Processing, ICIP'99*, Kobe, Japan, October 1999.
5. M. Grimaud. A new measure of contrast: the dynamics. In S. Gader, Dougherty, editor, *SPIE Visual Communications and Image Processing'92*, volume SPIE 1769, pages 292–305, San Diego (CA), USA, July 1992.
6. H. Heijmans. Connected morphological operators and filters for binary images. In *IEEE Int. Conference on Image Processing, ICIP'97*, volume 2, pages 211–214, Santa Barbara (CA), USA, October 1997.
7. P. Maragos. Differential morphology. In S. Mitra and G. Sicuranza, editors, *Nonlinear Image Processing*, chapter 13. Academic Press, 2000.
8. G. Matheron. Les nivellements. Technical report, Paris school of Mines, Center for Mathematical Morphology, 1997.
9. F. Meyer. From connected operators to levelings. In *Fourth Int. Symposium on Mathematical Morphology, ISMM'98*, pages 191–198, Amsterdam, The Netherlands, June 1998. Kluwer.
10. F. Meyer. The levelings. In *Fourth Int. Symposium on Mathematical Morphology, ISMM'98*, pages 199–206, Amsterdam, The Netherlands, June 1998. Kluwer.
11. C. Ronse. Set-theoretical algebraic approaches to connectivity in continuous or digital spaces. *Journal of Mathematical Imaging and Vision*, 8:41–58, 1998.
12. P. Salembier and L. Garrido. Binary partition tree as an efficient representation for image processing, segmentation and information retrieval. *IEEE Transactions on Image*

- Processing*, 9(4):561–576, April, 2000.
13. P. Salembier and M. Kunt. Size-sensitive multiresolution decomposition of images with rank order based filters. *EURASIP Signal Processing*, 27(2):205–241, May 1992.
  14. P. Salembier, A. Oliveras, and L. Garrido. Anti-extensive connected operators for image and sequence processing. *IEEE Transactions on Image Processing*, 7(4):555–570, April 1998.
  15. P. Salembier and J. Serra. Flat zones filtering, connected operators and filters by reconstruction. *IEEE Transactions on Image Processing*, 3(8):1153–1160, August 1995.
  16. J. Serra. Connectivity on complete lattices. *Journal of Mathematical Imaging and Vision*, 9:231–251, 1998.
  17. J. Serra and P. Salembier. Connected operators and pyramids. In SPIE, editor, *Image Algebra and Mathematical Morphology*, volume 2030, pages 65–76, San Diego (CA), USA, July 1993.
  18. V. Vilaplana and F. Marqués. Face segmentation using connected operators. In *Fourth Int. Symposium on Mathematical Morphology, ISMM'98*, pages 207–214, Amsterdam, The Netherlands, June 1998. Kluwer.
  19. L. Vincent. Grayscale area openings and closings, their efficient implementation and applications. In J. Serra and P. Salembier, editors, *First Workshop on Mathematical Morphology and its Applications to Signal Processing*, pages 22–27, Barcelona, Spain, May 1993. UPC.
  20. L. Vincent. Morphological gray scale reconstruction in image analysis: Applications and efficient algorithms. *IEEE, Transactions on Image Processing*, 2(2):176–201, April 1993.